



GIOTTO® HOMELIFT, THE ELEGANCE OF ROUND SHAPES



WHY CHOOSE NOVA GIOTTO



DESIGN

Style, elegance, refined materials and shapes merge into a contemporary aesthetic, where every detail is designed to enhance the environment with coherence, harmony and functionality.



BESPOKE PROJECTS

Maximum flexibility to meet every need: from private homes to public spaces, tailored solutions for both new constructions and renovations.



QUALITY

Every stage of the production process is crafted with attention to detail to ensure a product of superior quality.




ENERGY EFFICIENCY

Energy-efficient homelifts that reduce volume and maximize space.



SAFETY AND COMFORT

State-of-the-art technologies for a smooth, quiet, and safe ride.





WHY CHOOSE THE GIOTTO ROUND HOMELIFT

Giotto line of round homelifts represents the elegance of curves for a luxury design and adapts perfectly to any need and any home environment.

The elegance of Giotto homelift enhances the architectural context in which it is installed and increases its value.

Ideal to be installed in a central position inside a round stairwell or freestanding, Giotto becomes the protagonist of the entire environment: a real piece of furniture.

It can operate in 2 different modes: hold to run in cabin and automatic at the floors, or automatic both in cabin and at the floors.


Perfect to amaze your guests, allowing them to move between the different floors of the house in an impressive panoramic homelift or to allow access to offices, museums, public places and prestigious yachts.

 *Made in Italy*

NOVA GIOTTO®

- Machine Directive 2006/42/CE
- Duty Load max 300 kg
- Speed 0.15 m/s in UE and 0.3 m/s extra UE
- Pit 150 mm - Min. headroom 2350 mm

ROUND HOMELIFTS WITH Ø 1300 mm



LEGEND

- Glass cladding for structure
- Metal structures
- Metal sheet cabin walls
- Glazed cabin walls

Curved
full glass
door



Standard
handle
painted to
match the
metal shaft
finish







NOVA **GIOTTO**[®]

- Machine Directive 2006/42/CE
- Duty Load max 300 kg
- Speed 0.15 m/s in UE and 0.3 m/s extra UE
- Pit 150 mm - Min. headroom 2350 mm

ROUND HOMELIFTS WITH Ø 1450 mm



ROUND HOMELIFTS WITH Ø 1670 mm



LEGEND

- Glass cladding for structure
- Metal structures
- Metal sheet cabin walls
- Glazed cabin walls


Curved
full glass
door



Standard
handle
painted to
match the
metal shaft
finish







For over thirty years, the **Govoni family** and **NOVA Elevators** have been turning vertical movement into a unique experience, with systems that embody the excellence of Italian design and craftsmanship.

Today, **more than 1,000 projects take shape every year** around the world, bringing comfort, beauty and accessibility to the spaces we live in.

Passion, innovation and **responsibility** guide our path, creating homelifts that are not just **mobility solutions**, but distinctive signs of **style** and **design**.



NOVA S.r.l.
Via G. Galilei, 116/c
40014 Palata Pepoli - Crevalcore (Bologna) - Italy
Tel. +39 051 985330
E-mail: info@nova-elevators.com
www.nova-elevators.com



Member of



FOLLOW US!



These technical specifications and images are intended for illustrative purposes and are not binding for the company.
NOVA S.r.l. reserves the right to make any changes at any time it considers appropriate.
All rights reserved. Even partial reproduction of this catalog is forbidden without the consent of NOVA S.r.l.

Ed. 06-2026